

2022 MODEL YEAR

SPECIFICATIONS STANDARD EQUIPMENT PLAN VIEW

VERSION 1.0 EFFECTIVE JULY 1, 2021 - JUNE 30, 2022

JUPITER MARINE INTERNATIONAL, INC. 1103 12TH AVENUE EAST · PALMETTO, FL 34221 · 941-729-5000 · JUPITERMARINE.COM · SALES@JUPITERMARINE.COM

JUPITER 34



STANDARD EQUIPMENT & FEATURES

CONSTRUCTION

- Closed Cell PVC Foam Coring
- Deck Mechanically Fastened and Fiberglass Bonded to Hull
- Fiberglass Uni-Grid Stringer System
- Resin Infused with Multidirectional Biaxial & Triaxial Knitted Fiberglass
- Entire Hull Infused Biaxial and Quad
- Ceraminc Poured Transom
- Inner Liner Integrally Bonded to Hull
- No Wood-No Rot Laminated Design
- Posi-Stern™ Hull Pad Design
- Cored Fiberglass Bottom
- Vinylester Resin Barrier to Prevent Osmotic Blistering

COCKPIT

- Edson Black Steering Wheel
- Coaming Bolsters
- Anchor Locker, Top Loading
- Mezzanine Seating with Livewell
- Boarding Ladder & Grab Rail
- Fishboxes- 2 Each- 104 Gallons with Macerator Drains
- Forward Hand Rails
- Freshwater Washdown
- Molded Fiberglass Gasketed Hatches
- Non-Skid Decks, with Self Bailing Cockpit
- Rod Holders, (4) Bow, 30°
- · Rod Racks, 4 Pair
- Rod Storage Lockers, 2 Each- 7 Cubic Feet, Lockable
- Safety Equipment Storage Lockers
- Raw / Salt Water Washdown
- Storage Compartment Forward, 13 Cubic Feet
- Storage Compartments, 2 Each- 11 Cubic Feet
- Walk through Transom Door

ELECTRICAL

- All Wiring Tin Coated Copper
- Automatic Battery Management System
- Battery Charger, Multi-Bank
- Battery Parallel Switch
- Bonded Electrical System
- Circuit Protection Throughout
- White Under Gunwale Lighting
- Color Coded & Numbered Wiring System
- Courtesy Light in Console
- Hi-Water Bilge Alarm
- International Navigation Lights
- Marine Horn, Electric, Dual
- C-Zone Digital Switching
- Vapor Proof Battery Switches
- HD Marine Batteries, AGM
- White Lighting in Storage Boxes
- Holding Tank Overboard Macerator Discharge

T-TOP PACKAGE

- Custom T-Top with Fiberglass Hardtop & Includes Electronics,
 Overhead, Molded Fiberglass
- Handrails for T-Top, Port & Starboard
- Lumitec Mirage Spectrum Lighting in Hardtop

MECHANICAL


- Freshwater Marine Head, Electric with Holding Tank
- All Fasteners, Hinges and Hardware are Stainless Steel
- Bilge Pumps, Automatic/Manual (2) 2000 GPH
- Bronze Thru-Hull Fittings Below Waterline
- Deck Hardware, Flush Mounted, Stainless Steel
- Double Stainless Steel Hose Clamps Below Waterline
- Fuel Filters/Water Separator(s) 10 Micron
- Fuel Tanks, HD Marine Aluminum, Coal Tar Coated, EPA Compliant
- Heavy Duty Vinyl Rub Rail with Stainless Steel Insert
- Seacocks on All Below Water Thru-Hulls
- Trim Tabs, Recessed with Auto Retract and Indicators
- Water Tank with Gauge
- Livewell Pump, HD 1600 GPH

CONSOLE

- Release Marine Teak Bolster Seats (2) with (4) Arm Rests, (2) Outside and (2) Inside Arms
- White Powder Coat Package
- Jupiter Logo on Seating
- Release Marine Cup Holders
- Battery Storage Compartment
- Molded Glove Box with Dual USB Charging Port
- · Compass, High Speed
- Edson Black Steering Wheel
- Easy Access Entry Door to Head, Lockable
- Electronics Compartment at Helm
- Molded Insulated Drink Cooler 85 Quarts
- Acrylic Windshield
- Power Outlet, 12V
- Recessed Key Switches
- Custom Oversize Console with Stand-Up Head Compartment
- Ventilating Bomar Hatch
- Molded Sink with Pull Out Shower
- Sun Lounge Console Cooler
- Fusion Apollo WB670 Head Unit
- JL Audio Speaker & Amp Package- Includes the Following:
 - (4) 8.8" Cockpit Coaxial Speaker
 - (4) 6.5" Cockpit Coaxial Speaker
 - (2) 10" Marine Subwoofer
 - (1) 600Watt, 4-Channel Amplifier
 - (1) 900Watt, 5-Channel Amplifier
 - (1) 8' Digital AM/FM Antenna

RIGGING

- Yamaha Match Electronic Binnacle Control with Power Trim
- Engine Alarm System
- Yamaha Match Engine Cables & Harness
- Yamaha Match Fuel/Water Sensor with Alarm
- Steering Adjustable Helm
- Yamaha Match Stainless Steel Propellers Matched to Engines
- Electronic Power Steering
- Yamaha Matched Premium Multifunction Instrumentation to Include: Tachometers, Voltmeter, Hour Meters, Fuel Gauges, Water Gauges, Fuel Monitoring System



SPECIFICATIONS	
LOA, HULL	33'9"
BEAM	10'5"
MAX HP RATING	900 HP
BRIDGE CLEARANCE WITH T-TOP	9'2"
DEADRISE FWD / AFT	60° / 23°
DRY WEIGHT WITH ENGINES	9,880 LBS
OPERATING WEIGHT APPROX	14,784 LBS
DRAFT MOTORS UP / DOWN	24" / 36"
FUEL CAPACITY STANDARD	390 GALLONS
WATER CAPACITY	50 GALLONS
HOLDING TANK	15 GALLONS

FEATURES	
А	ANCHOR LOCKER
В	STORAGE
С	PORT FORWARD SEAT STORAGE
D	STARBOARD FORWARD SEAT STORAGE
Е	HEAD COMPARTMENT
F	PORT ROD LOCKER
G	STARBOARD ROD LOCKER
Н	MEZZANINE SEAT WITH LIVEWELL
I	PORT FISH BOX
J	STARBOARD FISH BOX
K	BILGE ACCESS

	NOTES
İ	