

JUPITER

Est. 1989



26FS SPECIFICATIONS

L.O.A., Hull: 26'5"
Beam: 8'8"
Max HP Rating: 450 HP
Bridge Clearance
(w/Std Hardtop): 7'10"
Deadrise (Forward): 60°
Dadrise (Aft): 23°

Dry Weight (w/ Engines): 5,460 lbs.
Operating Weight: ~6,400 lbs.
Draft- Motors Up: 20"
Draft- Motors Down: 31"
Fuel Capacity (Std): 150 Gallons
Water Capacity: 20 Gallons





Back and Better Than Ever.

STANDARD FEATURES


- Twin Yamaha F200 (Integrated Digital Electro-Hydraulic Steering) with HelmMaster Joystick & Auto Pilot, Color: Premium White
- Premium White Gelcoat, Entire Hull
- Boot Stripe with Jupiter Logo
- White Upholstery with Diamond Stitching
- Custom Oversized Hardtop, with Powder-Coated Frame
- Garmin Electronics Package, Includes:
 - Garmin 8612xsv
 - Garmin GPSMAP 8612
 - Dual 4' Digital VHF & AM/FM Antennas
 - Black Acrylic Flush Mount Display Panel
 - Airmar B75 600W Chirp Transducer
 - ICOM VHF 400 BB Marine Radio
- JL Audio Speaker and Amp Package
 - (4) 7.7" Coaxial
 - (1) 900 Watt 5-Channel Amplifier
 - (1) 10" Subwoofer
- Double Helm Seats w/ Flip-Up Bolsters and Armrests
- Tackle Center with Rod Rack and Cupholders
- Marine Head with Holding Tank
- Transom Entry Boarding Door w/ Ladder
- Under Gunwale Rod Racks, Port & Stbd
- Three Pairs of 30° Rod Holders, Gunwale Mounted
- Kingfish-Style Rod Holders (Pair) Mounted on Hardtop
- Lenco Trim Tabs w/ Auto Retract
- Livewell, 35 Gal, Pressurized
- Forward Seating Backrests, Removable
- Cockpit Lighting, LED
- Coaming Bolsters, 360°
- 3 HD AGM Batteries
- 3 Bank Battery Charger
- Raw and Fresh Water Washdowns

CUSTOM OPTIONS

- Gelcoat Color, Entire Hull (Ice Blue / Whisper Gray)
- Windlass with SS Anchor and Line
- Gemlux Deluxe Outriggers with 18' Carbon Fiber Poles, Telescoping
- Transom Top Seating & Wrap Around Backrest, Removable

JUPITER

26FS



2024 MODEL YEAR SPECIFICATIONS STANDARD EQUIPMENT PLAN VIEW

VERSION 1.0

EFFECTIVE JULY 1, 2023 - JUNE 30, 2024

JUPITER MARINE INTERNATIONAL, INC.

1103 12TH AVENUE EAST · PALMETTO, FL 34221 · 941-729-5000 · JUPITERMARINE.COM · SALES@JUPITERMARINE.COM



STANDARD EQUIPMENT & FEATURES

CONSTRUCTION

- Closed cell PVC foam coring
- Deck mechanically fastened and fiberglass bonded to hull
- Fiberglass uni-grid stringer system
- Hand-laid with multidirectional biaxial & triaxial knitted fiberglass
- Hi-Tech composite construction
- High density composite core transom
- Inner liner integrally bonded to hull
- No wood-no rot laminated design
- Posi-stern hull pad design
- Solid fiberglass bottom
- Vinylester resin barrier to prevent osmotic blistering

COCKPIT

- Anchor locker, top loading
- Boarding ladder & grab rail
- Coaming Bolsters
- Dry storage compartment fwd.
- Fishbox with macerator 102 gal.
- Forward dry storage compartments - 2 ea., 65 gal.
- Fresh water washdown
- Fresh water sink with pull out shower
- Molded fiberglass gasketed hatches
- Non-skid decks, with self bailing cockpit
- Rod holders, 6
- Salt water washdown
- Walk thru transom door
- Livewell 35 gal.
- Helm seat, prep center with seat, back, rod holders, drink holders and tackle cabinet
- Rod racks, Port and Starboard

ELECTRICAL

- Garmin Electronics Package:
 - Garmin 8612xsv
 - Garmin GPSMAP 8612
 - Dual 4' Digital VHF & AM/FM Antennas
 - Black Acrylic Flush Mount Display Panel
 - Airmar B75 600W Chirp Transducer
 - ICOM VHF 400 BB Marine Radio
- JL Audio Speaker & Amp Package
 - (4) 7.7" Coaxial
 - (1) 900 Watt 5-Channel Amplifier
 - (1) 10" Subwoofer
- All wiring tin coated copper
- Bonded electrical system
- Circuit protection throughout
- Cockpit lighting, indirect LED
- Color coded & numbered wiring system
- Courtesy light in console
- Hi-water bilge alarm
- International navigation lights
- Marine horn, electric
- Switch panel w/indicator lights, custom
- Weather Resistant Switches
- HD Marine Batteries, AGM
- Battery Charger, Multi Bank

MECHANICAL

- Marine head, electric w/holding tank
- All fasteners, hinges and hardware are stainless steel
- Bilge pumps, automatic/manual (2) 2000 GPH
- Bronze thru-hull fittings below waterline
- Deck hardware, flush mounted, SS
- Double SS hose clamps below waterline
- Fuel filters/water separator(s) 10 micron
- Fuel tanks, HD marine aluminum, Epoxy coated
- Heavy duty vinyl rub rail with SS insert
- Sea-cocks on all below water thru-hulls
- Trim tabs, recessed w/auto retract and indicators
- Water tank w/gauge
- Livewell pump

CONSOLE

- Battery storage compartment
- Compass, high speed
- Double Helm Seats w/ Flip-Up Bolsters and Armrests
- Custom SS steering wheel
- Easy access entry door to head, lockable
- Helm unit, adjustable
- Lockable rod storage
- Molded head compartment
- Molded insulated drink cooler
- Plexiglass windscreen
- Power outlet, 12V
- Recessed key switches
- Stand up head compartment

RIGGING

- Binnacle control w/power trim
- Engine alarm system
- Engine cables & harness
- Fuel/water sensor w/alarm
- Hull boot stripe w/accent
- SS propellers matched to engines