



2024 MODEL YEAR

SPECIFICATIONS STANDARD EQUIPMENT PLAN VIEW

VERSION 1.0 EFFECTIVE JULY 1, 2023- JUNE 30, 2024

JUPITER MARINE INTERNATIONAL, INC.

1103 12TH AVENUE EAST · PALMETTO, FL 34221 · 941-729-5000 · JUPITERMARINE.COM · SALES@JUPITERMARINE.COM

JUPITER 30

CERTIFIED POWERED BY YANAHA

STANDARD EQUIPMENT & FEATURES

CONSTRUCTION

- Closed Cell PVC Foam Coring
- Deck Mechanically Fastened & Fiberglass Bonded to Hull
- Molded Fiberglass Uni-Grid Stringer System
- Resin Infused w/ Multidirectional Biaxial & Triaxial Knitted Fiberglass
- Ceramic Poured Transom
- Inner Liner Integrally Bonded to Hull
- No Wood-No Rot Laminated Design
- Posi-Stern™ Hull Pad Design
- Solid Fiberglass Bottom
- Vinylester Resin Barrier to Prevent Osmotic Blistering

COCKPIT

- Coaming Bolsters
- Bait Prep Center with 45 Gallons Stand-Up Livewell, Tackle Storage,

Freshwater Sink with Shower

- Helm Seat with Folding Footrest
- Anchor Locker, Top Loading
- Boarding Ladder & Grab Rail
- Storage Compartment Forward
- Fishbox with Macerator 120 Gallons
- Forward Dry Storage Compartments, 2 Each, 45 Gal.
- Freshwater Washdown
- Grab Rails at All Standard Seating Locations
- Lockable Rod Storage, Port & Starboard
- Molded Fiberglass Gasketed Hatches
- Non-Skid Decks with Self Bailing Cockpit
- Raw / Salt Water Washdown
- Walk thru Transom Door
- Rod Racks, Port & Starboard

ELECTRICAL

- All Wiring Tin Coated Copper
- Automatic Battery Management System
- Cockpit Lighting, White
- Battery Charger, Multi-Bank
- Battery Parallel Switch
- Bonded Electrical System
- Circuit Protection Throughout
- Multi-Colored Under Gunwale Lighting
- Color Coded & Numbered Wiring System
- Courtesy Light in Console
- Hi-Water Bilge Alarm
- International Navigation Lights
- Marine Horn, Electric, Dual
- Empirbus Digital Switching
- Vapor Proof Battery Switches
- HD Marine Batteries, AGM
- Multi-Colored Compartment Lights in Storage Boxes
- Holding Tank Overboard Macerator Discharge

T-TOP PACKAGE

- Custom T-Top with Fiberglass Hardtop & Includes Electronics, Overhead, Molded Fiberglass
- Handrails for T-Top, Port & Starboard
- Lumitec Mirage Spectrum Lighting in Hardtop

MECHANICAL

- Freshwater Marine Head, Electric with Holding Tank
- All Fasteners, Hinges and Hardware are Stainless Steel
- Bilge Pumps, Automatic/Manual (2) 2000 GPH
- Bronze Thru-Hull Fittings Below Waterline
- Deck Hardware, Flush Mounted, Stainless Steel
- Double SS Hose Clamps Below Waterline
- Fuel Filters/Water Separator(s) 10 Micron Fuel Tank, HD Marine

Aluminum, Epox Coated, EPA Compliant


- Heavy Duty Vinyl Rub Rail with Stainless Steel Insert
- Seacocks on All Below Water Thru-Hulls
- Trim Tabs, Recessed with Auto Retract and Seakeeper RIDE
- Water Tank with Gauge
- Livewell Pump, HD 1600 GPH

CONSOLE

- Release Marine Teak Bolster Seats (2) with (3) Arms,
 (2) Outside Arms and (1) Shared Center Arm. (With Teak Accents)
- White Upholstery w/ Diamond Stitching, Sport Upholstery, and Lux Upholstery
- White Powder Coat Package
- Cup Holders
- Battery Storage Compartment
- Molded Glove Box with Dual USB Charging Ports
- Compass, High Speed
- Console Seat with Cushions & Armrest
- Edson Black Steering Wheel
- Easy Access Entry Door to Head, Lockable
- Molded Freshwater Sink with Pull Out Shower
- Molded Insulated Drink Cooler 85 Quarts
- Plexiglass Windscreen and Other Options
- Power Outlet, 12V
- Recessed Key Switches
- Safety Gear Compartment
- Custom Oversize Console with Stand-Up Head Compt.
- Ventilating Bomar Hatch
- Fusion Apollo WB670 Head Unit with Fusion ERX400 Remote
- JL Audio Speaker & Amp Package- Includes the following:
 - (4) 7.7" Cockpit Coaxial
 - (2) 6.5" Cockpit Coaxial
 - (1) 10" Marine Subwoofer
 - (2) 600Watt 4-Channel Amplifier
 - 8' Digital AM/FM Antenna

RIGGING

- Electronic Binnacle Control with Power Trim
- Engine Alarm System
- Engine Cables & Harness
- Fuel/Water Sensor with Alarm
- Electronic Power Steering
- SS Propellers Matched to Engines
 Premium Multifunction Instrumentation to Include:
 - Tachometers, Voltmeter, Hour Meters, Fuel Gauges, Water Gauges, Fuel Monitoring System



SPECIFICATIONS	
LOA, HULL	29'6"
BEAM	9'4"
MAX HP RATING	600 HP
BRIDGE CLEARANCE WITH T-TOP	8'10"
DEADRISE FWD / AFT	60° / 24°
DRY WEIGHT WITH ENGINES	7,590 LBS
OPERATING WEIGHT APPROX	10,041 LBS
DRAFT MOTORS UP / DOWN	22" / 33"
STANDARD FUEL CAPACITY	262 GALLONS
WATER CAPACITY	35 GALLONS
HOLDING TANK	6 GALLONS

FEATURES	
А	ANCHOR LOCKER
В	STORAGE
С	PORT FORWARD SEATING STORAGE
D	STARBOARD FORWARD SEATING STORAGE
Е	HEAD COMPARTMENT
F	PORT ROD LOCKER
G	STARBOARD ROD LOCKER
Н	LIVEWELL PREP CENTER
I	FISH BOX
J	BILGE ACCESS

NUTES	