

JUPITER

34



2024 MODEL YEAR SPECIFICATIONS STANDARD EQUIPMENT PLAN VIEW

VERSION 1.0
EFFECTIVE JULY 1, 2023 - JUNE 30, 2024

JUPITER 34



POWERED BY



YAMAHA

STANDARD EQUIPMENT & FEATURES

CONSTRUCTION

- Closed Cell PVC Foam Coring
- Deck Mechanically Fastened and Fiberglass Bonded to Hull
- Fiberglass Uni-Grid Stringer System
- Resin Infused with Multidirectional Biaxial & Triaxial Knitted Fiberglass
- Entire Hull Infused Biaxial and Quad
- Ceraminc Poured Transom
- Inner Liner Integrally Bonded to Hull
- No Wood-No Rot Laminated Design
- Posi-Stern™ Hull Pad Design
- Cored Fiberglass Bottom
- Vinylester Resin Barrier to Prevent Osmotic Blistering

COCKPIT

- Edson Black Steering Wheel
- Coaming Bolsters
- Anchor Locker, Top Loading
- Mezzanine Seating with Livewell
- Boarding Ladder & Grab Rail
- Fishboxes- 2 Each- 104 Gallons with Macerator Drains
- Forward Hand Rails
- Freshwater Washdown
- Molded Fiberglass Gasketed Hatches
- Non-Skid Decks, with Self Bailing Cockpit
- Rod Holders, (4)
- Rod Racks, 4 Pair
- Rod Storage Lockers, 2 Each- 7 Cubic Feet, Lockable
- Safety Equipment Storage Lockers
- Raw / Salt Water Washdown
- Storage Compartment Forward, 13 Cubic Feet
- Storage Compartments, 2 Each- 11 Cubic Feet
- Walk through Transom Door

ELECTRICAL

- All Wiring Tin Coated Copper
- Automatic Battery Management System
- Battery Charger, Multi-Bank
- Battery Parallel Switch
- Bonded Electrical System
- Circuit Protection Throughout
- RGBW Under Gunwale Lighting
- Color Coded & Numbered Wiring System
- Courtesy Light in Console
- Hi-Water Bilge Alarm
- International Navigation Lights
- Marine Horn, Electric
- Empirbus Digital Switching
- Vapor Proof Battery Switches
- HD Marine Batteries, AGM
- RGBW Lighting in Storage Boxes
- Holding Tank Overboard Macerator Discharge

T-TOP PACKAGE

- Custom T-Top with Fiberglass Hardtop & Includes Electronics, Overhead, Molded Fiberglass
- Handrails for T-Top, Port & Starboard (Not for 340 LS)
- Lumitec Mirage Spectrum Lighting in Hardtop

MECHANICAL

- Freshwater Marine Head, Electric with Holding Tank
- All Fasteners, Hinges and Hardware are Stainless Steel
- Bilge Pumps, Automatic/Manual (2) 2000 GPH
- Bronze Thru-Hull Fittings Below Waterline
- Deck Hardware, Flush Mounted, Stainless Steel
- Double Stainless Steel Hose Clamps Below Waterline
- Fuel Filters/Water Separator(s) 10 Micron
- Fuel Tanks, HD Marine Aluminum, Epoxy Coated, EPA Compliant
- Heavy Duty Vinyl Rub Rail with Stainless Steel Insert
- Seacocks on All Below Water Thru-Hulls
- Trim Tabs, Recessed with Auto Retract and Indicators
- Water Tank with Gauge
- Livewell Pump, HD 1600 GPH

CONSOLE

- Release Marine Teak Bolster Seats (2) with (4) Arm Rests, (2) Outside and (2) Inside Arms
- White Powder Coat Package
- Jupiter Logo on Seating
- Molded Glove Box with Dual USB Charging Port
- Compass, High Speed
- Edson Black Steering Wheel
- Easy Access Entry Door to Head, Lockable
- Electronics Compartment at Helm
- Molded Insulated Drink Cooler 85 Quarts
- Acrylic Windshield
- Power Outlet, 12V
- Recessed Key Switches
- Custom Oversize Console with Stand-Up Head Compartment
- Ventilating Bomar Hatch
- Molded Sink with Pull Out Shower
- Sun Lounge Console Cooler
- Fusion Apollo WB670 Head Unit w/ ERX 400 Remote
- JL Audio Speaker & Amp Package- Includes the Following:
 - (4) 8.8" Cockpit Coaxial Speaker
 - (4) 6.5" Cockpit Coaxial Speaker
 - (2) 10" Marine Subwoofer
 - (1) 600Watt, 4-Channel Amplifier
 - (1) 900Watt, 5-Channel Amplifier
 - (1) 8' Digital AM/FM Antenna

RIGGING

- Yamaha Match Electronic Binnacle Control with Power Trim
- Engine Alarm System
- Yamaha Match Engine Cables & Harness
- Yamaha Match Fuel/Water Sensor with Alarm
- Steering Adjustable Helm
- Yamaha Match Stainless Steel Propellers Matched to Engines
- Electronic Steering
- Yamaha Matched Premium Multifunction Instrumentation to Include: Tachometers, Voltmeter, Hour Meters, Fuel Gauges, Water Gauges, Fuel Monitoring System



| | |
|-----------------------------|-------------|
| LOA, HULL | 33'9" |
| BEAM | 10'5" |
| MAX HP RATING | 1200 HP |
| BRIDGE CLEARANCE WITH T-TOP | 9'2" |
| DEADRISE FWD / AFT | 60° / 24° |
| DRY WEIGHT WITH ENGINES | 9,880 LBS |
| OPERATING WEIGHT APPROX | 14,784 LBS |
| DRAFT MOTORS UP / DOWN | 24" / 36" |
| FUEL CAPACITY STANDARD | 390 GALLONS |
| WATER CAPACITY | 50 GALLONS |
| HOLDING TANK | 15 GALLONS |

| | |
|---|--------------------------------|
| A | ANCHOR LOCKER |
| B | STORAGE |
| C | PORT FORWARD SEAT STORAGE |
| D | STARBOARD FORWARD SEAT STORAGE |
| E | HEAD COMPARTMENT |
| F | PORT ROD LOCKER |
| G | STARBOARD ROD LOCKER |
| H | MEZZANINE SEAT WITH LIVWELL |
| I | PORT FISH BOX |
| J | STARBOARD FISH BOX |
| K | BILGE ACCESS |

| | |
|--|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |