JUPITER

30

2027 MODEL YEAR

SPECIFICATIONS
STANDARD EQUIPMENT
PLAN VIEW
PERFORMANCE DATA

VERSION 1.0

EFFECTIVE 07-01-2026

JUPITER MARINE INTERNATIONAL, INC.

1103 12TH AVENUE EAST · PALMETTO, FL 34221 · 941-729-5000 · JUPITERMARINE.COM · SALES@JUPITERMARINE.COM

JUPITER 30

NMMA CERTIFIED using ABYC standards POWERED BY YAMAHA

STANDARD EQUIPMENT & FEATURES

CONSTRUCTION

- Closed Cell PVC Foam Coring
- Deck Mechanically Fastened & Fiberglass Bonded to Hull
- Molded Fiberglass Uni-Grid Stringer System
- Resin Infused w/ Multidirectional Biaxial & Triaxial Knitted Fiberglass
- Ceramic Poured Transom
- Inner Liner Integrally Bonded to Hull
- No Wood-No Rot Laminated Design
- Posi-Stern™ Hull Pad Design
- Solid Fiberglass Bottom
- Vinylester Resin Barrier to Prevent Osmotic Blistering

COCKPIT

- Coaming Bolsters
- Bait Prep Center with 45 Gallons Stand-Up Livewell, Tackle Storage, Freshwater Sink with Shower
- Coaming Bolsters
- Release Marine Teak Bolster Seats with Stainless Steel Lower Brace on Armrests
- Bait Prep Center with 45 Gallons Stand-Up Livewell, Tackle Storage, Freshwater Sink with Shower
- Anchor Locker, Top Loading
- Boarding Ladder & Grab Rail
- Storage Compartment Forward
- Fishbox with Macerator 120 Gallons
- Forward Dry Storage Compartments, 2 Each, 45 Gal.
- Freshwater Washdown
- Grab Rails at All Standard Seating Locations
- Lockable Rod Storage, Port & Starboard
- Molded Fiberglass Gasketed Hatches
- Non-Skid Decks with Self Bailing Cockpit
- Raw / Salt Water Washdown
- Walk through Transom Door
- Rod Racks, Port & Starboard

ELECTRICAL

- All Wiring Tin Coated Copper
- Automatic Battery Management System
- Cockpit Lighting, RGBW
- Battery Charger, Multi-Bank
- Battery Parallel Switch
- Bonded Electrical System
- Circuit Protection Throughout
- Color Coded & Numbered Wiring System
- Courtesy Light in Console
- Hi-Water Bilge Alarm
- International Navigation Lights
- Marine Horn, Electric
- EmpirBus Digital Switching
- HD Marine Batteries, AGM
- RGBW Lighting in Storage Boxes
- Holding Tank Overboard Macerator Discharge

T-TOP PACKAGE

- Custom T-Top with Fiberglass Hardtop & Includes Electronics, Overhead, Molded Fiberglass
- Handrails for T-Top, Port & Starboard
- Lumitec Mirage Spectrum Lighting in Hardtop

MECHANICAL

- Freshwater Marine Head, Electric with Holding Tank
- All Fasteners, Hinges and Hardware are Stainless Steel
- Bilge Pumps, Automatic/Manual (2) 2000 GPH
- Bronze Through-Hull Fittings Below Waterline
- Deck Hardware, Flush Mounted, Stainless Steel
- Double SS Hose Clamps Below Waterline
- Fuel Filters/Water Separator(s) 10 Micron Fuel Tank, HD Marine Aluminum, Epoxy Painted Coating, EPA Compliant
- Heavy Duty Vinyl Rub Rail with Stainless Steel Insert
- Seacocks on All Below Water Through-Hulls
- 35 gal Freshwater Tank with Gauge
- Livewell Pump, HD 1600 GPH
- Gemlux TruDesign Valves & Fitting
- Seakeeper RIDE, Vessel Attitude Control System, 525MM

CONSOLE

- Black Dash Pad
- Jupiter Logo on Seating
- White Powder Coat Package
- Cup Holders
- Battery Storage Compartment
- Molded Glove Box with Dual USB Charging Ports
- Compass, High Speed
- Console Seat with Cushions & Armrest w/ Teak Accent
- Lewmar Carbon Fiber Steering Wheel w/ Power Knob
- Easy Access Entry Door to Head, Lockable
- Molded Freshwater Sink with Pull Out Shower
- Molded Insulated Drink Cooler 85 Quarts
- Acrylic Windshield
- Power Outlet, 12V
- Recessed Key Switches
- Safety Gear Compartment
- Custom Oversize Console with Stand-Up Head Compt.
- Ventilating Bomar Hatch
- Fusion Apollo WB670 Head Unit w/ ERx400 Remote
- JL Audio Speaker & Amp Package - Includes the following:
    - (4) 7.7" Cockpit Coaxial
    - (2) 6.5" Cockpit Coaxial
    - (1) 10” Marine Subwoofer
    - (1) 1000 Watt MVi 5 Channel Amplifier
    - (1) 400 Watt MVi 4 Channel Amplifier
    - 8’ Digital AM/FM Antenna

RIGGING

- Electronic Binnacle Control with Power Trim
- Engine Alarm System
- Engine Cables & Harness
- Fuel/Water Sensor with Alarm
- Electronic Power Steering
- Tilt Helm
- SS Propellers Matched to Engines
- Premium Multifunction Instrumentation to Include: Tachometers, Voltmeter, Hour Meters, Fuel Gauges, Water Gauges, Fuel Monitoring System



Drawings are not to scale and are intended to show layouts only.

SPECIFICATIONS

LOA, HULL	29’6”
BEAM	9’4”
MAX HP RATING	700 HP
BRIDGE CLEARANCE WITH T-TOP	8’10”
DEADRISE FWD / AFT	60° / 24°
DRY WEIGHT WITH ENGINES	7,590 LBS
OPERATING WEIGHT APPROX	10,041 LBS
DRAFT MOTORS UP / DOWN	22” / 33”
STANDARD FUEL CAPACITY	262 GALLONS
WATER CAPACITY	35 GALLONS
HOLDING TANK	6 GALLONS

FEATURES

A	ANCHOR LOCKER
B	STORAGE
C	PORT FORWARD SEATING STORAGE
D	STARBOARD FORWARD SEATING STORAGE
E	HEAD COMPARTMENT
F	PORT ROD LOCKER
G	STARBOARD ROD LOCKER
H	LIVEWELL PREP CENTER
I	FISH BOX
J	BILGE ACCESS

NOTES

JUPITER 30

PERFORMANCE DATA

TWIN YAMAHA F300 HP

TEST DATE: 08/27/19
ENGINE: TWIN YAMAHA F300'S
FUEL CAPACITY: 262 GALLONS
NUMBER OF PEOPLE: 2
AIR / WATER TEMP: 90°F / 88°F
ELEVATION: 0' ABOVE SEA LEVEL
WIND VELOCITY: 0-5 MPH
TESTED WEIGHT INCLUDES: 100 GALLONS OF FUEL, 3 BATTERIES, 2 PEOPLE AND SAFETY & TEST GEAR.

RPM	MPH	GPH	MPG	RANGE
1000	6.1	2.6	2.33	610
1500	8.4	4.4	1.91	500
2000	9.3	7.1	1.31	343
2500	12.6	11.3	1.12	293
3000	16.6	14.8	1.12	293
3500	31.4	17.5	1.79	468
4000	37.5	23.6	1.59	416
4500	42.7	30.0	1.42	372
5000	46.9	37.8	1.24	324
5500	51.8	47.1	1.10	288
6000	55.0	52.1	1.06	277

TWIN YAMAHA F350 HP

TEST DATE: 10/18/24
ENGINE: TWIN YAMAHA F350'S
FUEL CAPACITY: 262 GALLONS
NUMBER OF PEOPLE: 2
AIR / WATER TEMP: 77°F / 86°F
ELEVATION: 0' ABOVE SEA LEVEL
WIND VELOCITY: 10-15 MPH
TESTED WEIGHT INCLUDES: 150 GALLONS OF FUEL, 3 BATTERIES, 2 PEOPLE AND SAFETY & TEST GEAR.

RPM	MPH	GPH	MPG	RANGE
1000	6.2	2.6	2.40	628
1500	8	4.6	1.74	455
2000	9.37	8.3	1.13	296
2500	14.3	12.9	1.11	290
3000	27.6	15.8	1.75	458
3500	34.6	19.9	1.74	455
4000	40	25.8	1.55	406
4500	46.2	32.4	1.43	374
5000	52.1	43.5	1.20	314
5500	57.6	55.4	1.04	272
6000	62	63.2	.98	256