

JUPITER

34



2027 MODEL YEAR

SPECIFICATIONS

STANDARD EQUIPMENT

PLAN VIEW

PERFORMANCE DATA

VERSION 1.0

EFFECTIVE 07-01-2026

JUPITER MARINE INTERNATIONAL, INC.

1103 12TH AVENUE EAST · PALMETTO, FL 34221 · 941-729-5000 · JUPITERMARINE.COM · SALES@JUPITERMARINE.COM

JUPITER 34



POWERED BY



YAMAHA

STANDARD EQUIPMENT & FEATURES

CONSTRUCTION

- Closed Cell PVC Foam Coring
- Deck Mechanically Fastened and Fiberglass Bonded to Hull
- Fiberglass Uni-Grid Stringer System
- Resin Infused with Multidirectional Biaxial & Triaxial Knitted Fiberglass
- Entire Hull Infused Biaxial and Quad
- Ceramic Poured Transom
- Inner Liner Integrally Bonded to Hull
- No Wood-No Rot Laminated Design
- Posi-Stern™ Hull Pad Design
- Cored Fiberglass Bottom
- Vinylester Resin Barrier to Prevent Osmotic Blistering

COCKPIT

- Coaming Bolsters
- Anchor Locker, Top Loading
- Mezzanine Seating with Livewell, or Prep Tackle Center with Livewell
- Boarding Ladder & Grab Rail
- Fishboxes - 2 Each - 104 Gallons with Macerator Drains
- Forward Hand Rails
- Freshwater Washdown
- Molded Fiberglass Gasketed Hatches
- Non-Skid Decks, with Self Bailing Cockpit
- Rod Holders, (4) Bow, 30°
- Rod Racks, 4 Pair
- Rod Storage Lockers, 2 Each - 7 Cubic Feet, Lockable
- Safety Equipment Storage Lockers
- Raw / Salt Water Washdown
- Storage Compartment Forward, 13 Cubic Feet
- Storage Compartments, 2 Each - 11 Cubic Feet
- Walk through Transom Door

ELECTRICAL

- All Wiring Tin Coated Copper
- Battery Charger, Multi-Bank
- Battery Parallel Switch
- Bonded Electrical System
- Circuit Protection Throughout
- Multi-Color Under Gunwale Lighting
- Color Coded & Numbered Wiring System
- Courtesy Light in Console
- Hi-Water Bilge Alarm
- International Navigation Lights
- Marine Horn, Electric
- EmpirBus Digital Switching
- Vapor Proof Battery Switches
- HD Marine Batteries, AGM
- Multi-Color Lighting in Storage Boxes
- Holding Tank Overboard Macerator Discharge

T-TOP PACKAGE

- Custom T-Top with Fiberglass Hardtop & Includes Electronics, Overhead, Molded Fiberglass
- Handrails for T-Top, Port & Starboard
- Lumitec Mirage Spectrum Lighting in Hardtop

MECHANICAL

- Freshwater Marine Head, Electric with Holding Tank
- All Fasteners, Hinges and Hardware are Stainless Steel
- Bilge Pumps, Automatic/Manual (2) 2000 GPH
- Bronze Thru-Hull Fittings Below Waterline
- Deck Hardware, Flush Mounted, Stainless Steel
- Double Stainless Steel Hose Clamps Below Waterline
- Fuel Filters/Water Separator(s) 10 Micron
- Fuel Tanks, HD Marine Aluminum, Epoxy Coated, EPA Compliant
- Heavy Duty Vinyl Rub Rail with Stainless Steel Insert
- Seacocks on All Below Water Thru-Hulls
- Fresh Water Tank with Gauge
- Livewell Pump, HD 1600 GPH
- TruDesign valves and Fittings
- Seakeeper RIDE, Vessel Attitude Control System 600MM

CONSOLE

- Release Marine Teak Bolster Seats with Stainless Steel Lower Brace on Armrests
- Black Dash Pad
- White Powder Coat Package
- Jupiter Logo on Seating
- Cup Holders
- Battery Storage Compartment
- Molded Glove Box with Dual USB Charging Port
- Compass, High Speed
- Lewmar Carbon Fiber Steering Wheel w/ Power Knob
- Easy Access Entry Door to Head, Lockable
- Electronics Compartment at Helm
- Molded Insulated Drink Cooler 85 Quarts
- Acrylic Windshield
- Power Outlet, 12V
- Recessed Key Switches
- Custom Oversize Console with Stand-Up Head Compartment
- Ventilating Bomar Hatch
- Sun Lounge Console Cooler
- Fusion Apollo WB670 Head Unit
- JL Audio Speaker & Amp Package - Includes the Following:
 - (4) 8.8" Cockpit Coaxial Speaker
 - (4) 6.5" Cockpit Coaxial Speaker
 - (2) 10" Marine Subwoofer
 - (1) 1000 Watt, MVi 5 Channel Amplifier
 - (1) 400 Watt, MVi 4 Channel Amplifier
 - (1) 8' Digital AM/FM Antenna

RIGGING

- Yamaha Electronic Binnacle Control with Power Trim
- Engine Alarm System
- Yamaha Engine Cables & Harness
- Yamaha Fuel/Water Sensor with Alarm
- Tilt Helm
- Yamaha Stainless Steel Propellers Matched to Engines
- Electronic Power Steering
- Yamaha Premium Multifunction Instrumentation to Include:
Tachometers, Voltmeter, Hour Meters, Fuel Gauges, Water Gauges, Fuel Monitoring System



LOA, HULL	33'9"
BEAM	10'5"
MAX HP RATING	1100 HP
BRIDGE CLEARANCE WITH T-TOP	9'2"
DEADRISE FWD / AFT	60° / 24°
DRY WEIGHT WITH ENGINES	9,880 LBS
OPERATING WEIGHT APPROX	14,784 LBS
DRAFT MOTORS UP / DOWN	24" / 36"
FUEL CAPACITY STANDARD	390 GALLONS
WATER CAPACITY	50 GALLONS
HOLDING TANK	15 GALLONS

A	ANCHOR LOCKER
B	STORAGE
C	PORT FORWARD SEAT STORAGE
D	STARBOARD FORWARD SEAT STORAGE
E	HEAD COMPARTMENT
F	PORT ROD LOCKER
G	STARBOARD ROD LOCKER
H	MEZZANINE SEAT WITH LIVWELL
I	PORT FISH BOX
J	STARBOARD FISH BOX
K	BILGE ACCESS

[illegible]

JUPITER 34

PERFORMANCE DATA

TWIN YAMAHA F450 HP

TEST DATE: 08/27/20
ENGINE: TWIN YAMAHA F425'S
FUEL CAPACITY: 390 GALLONS
NUMBER OF PEOPLE: 2
AIR / WATER TEMP: 90°F / 88°F
ELEVATION: 0' ABOVE SEA LEVEL
WIND VELOCITY: ~ 5 MPH
TESTED WEIGHT INCLUDES: 110 GALLONS OF FUEL, 4 BATTERIES, 2 PEOPLE AND SAFETY & TEST GEAR.

RPM	MPH	GPH	MPG	RANGE
1000	6.1	3.8	1.61	523
1500	8.4	5.9	1.42	461
2000	10.7	10.4	1.03	334
2500	15.1	14.9	1.01	328
3000	22.4	18.5	1.21	393
3500	34.1	24.7	1.4	442
4000	42.1	31.5	1.3	419
4500	46.3	41.6	1.11	360
5000	52.2	58.0	0.90	292
5500	58.8	67.3	0.87	282
6000	63.3	72.4	0.87	282

TRIPLE YAMAHA F350 HP

TEST DATE: 05/17/24
ENGINE: TRIPLE YAMAHA F350'S
FUEL CAPACITY: 390 GALLONS
NUMBER OF PEOPLE: 5
AIR / WATER TEMP: 90°F / 86°F
ELEVATION: 0' ABOVE SEA LEVEL
WIND VELOCITY: 5-10 MPH
TESTED WEIGHT INCLUDES: 225 GALLONS OF FUEL, 50 GALLONS OF WATER, 4 BATTERIES, 3 PEOPLE AND SAFETY & TEST GEAR.

RPM	MPH	GPH	MPG	RANGE
1000	7	3.8	1.84	718
1500	9.3	6.8	1.37	534
2000	11.7	11.8	.99	386
2500	20.3	17.6	1.15	449
3000	30.8	22	1.40	546
3500	36.2	27.4	1.32	515
4000	42.2	37.9	1.11	433
4500	47.2	44.7	1.06	413
5000	52.9	56.8	.93	363
5500	58.6	75.9	.77	300
6000	64.5	94.3	.68	265