JUPITER

340*LS*

2027 MODEL YEAR

SPECIFICATIONS
STANDARD EQUIPMENT
PERFORMANCE DATA

VERSION 1.0

EFFECTIVE 07-01-2026

JUPITER MARINE INTERNATIONAL, INC.
1103 12TH AVENUE EAST · PALMETTO, FL 34221 · 941-729-5000 · JUPITERMARINE.COM · SALES@JUPITERMARINE.COM

JUPITER 340LS

NMMA CERTIFIED using ABYC standards POWERED BY YAMAHA

STANDARD EQUIPMENT & FEATURES

CONSTRUCTION

- Closed Cell PVC Foam Coring
- Deck Mechanically Fastened and Fiberglass Bonded to Hull
- Fiberglass Uni-Grid Stringer System
- Resin Infused with Multidirectional Biaxial Triaxial Knitted Fiberglass
- Entire Hull Infused Biaxial and uad
- Ceramic Poured Transom
- Inner Liner Integrally Bonded to Hull
- o Wood- o Rot Laminated Design
- Posi-Stern Hull Pad Design
- Cored Fiberglass Bottom
- Vinylester Resin Barrier to Prevent Osmotic Blistering

COCKPIT

- Coaming Bolsters
- Anchor Locker, Top Loading
- Me anine Seating with Livewell
- Boarding Ladder Grab Rail
- Fishboxes - 2 Each - 104 Gallons with Macerator Drains
- Forward Hand Rails
- Freshwater Washdown
- Molded Fiberglass Gasketed Hatches
- on-Skid Decks, with Self Bailing Cockpit
- Rod Holders, (4) Bow, 30
- Rod Racks, 4 Pair
- Rod Storage Lockers, 2 Each - 7 Cubic Feet, Lockable
- Safety E uipment Storage Lockers
- Raw / Salt Water Washdown
- Storage Compartment Forward, 13 Cubic Feet
- Storage Compartments, 2 Each - 11 Cubic Feet
- Walk through Transom Door

ELECTRICAL

- All Wiring Tin Coated Copper
- Battery Charger, Multi-Bank
- Battery Parallel Switch
- Bonded Electrical System
- Circuit Protection Throughout
- Multi-Color Under Gunwale Lighting
- Color Coded umbered Wiring System
- Courtesy Light in Console
- Hi-Water Bilge Alarm
- International avigation Lights
- Marine Horn, Electric
- EmpirBus Digital Switching
- Vapor Proof Battery Switches
- HD Marine Batteries, AGM
- Multi-Color Lighting in Storage Boxes
- Holding Tank Overboard Macerator Discharge

T-TOP PACKAGE

- Custom T-Top with Fiberglass Hardtop & Includes Electronics, Overhead, Molded Fiberglass
- Lumitec Mirage Spectrum Lighting in Hardtop

MECHANICAL

- Freshwater Marine Head, Electric with Holding Tank
- All Fasteners, Hinges and Hardware are Stainless Steel
- Bilge Pumps, Automatic/Manual (2) 2000 GPH
- Bron e Thru-Hull Fittings Below Waterline
- Deck Hardware, Flush Mounted, Stainless Steel
- Double Stainless Steel Hose Clamps Below Waterline
- Fuel Filters/Water Separator(s) 10 Micron
- Fuel Tanks, HD Marine Aluminum, Epoxy Coated, EPA Compliant
- Heavy Duty Vinyl Rub Rail with Stainless Steel Insert
- Seacocks on All Below Water Thru-Hulls
- Water Tank with Gauge
- Livewell Pump, HD 1600 GPH
- Gemlux TruDesign Valves and Fittings
- Seakeeper RIDE, Vessel Attitude Control System 600MM

CONSOLE

- Release Marine Teak Bolster Seats with Stainless Steel Lower Brace on Armrests
- Black Dash Pad
- White Powder Coat Package
- Jupiter Logo on Seating
- Marine Cup Holders
- Battery Storage Compartment
- Molded Glove Box with Dual USB Charging Port
- Compass, High Speed
- Lewmar Carbon Fiber Steering Wheel w/ Power Knob
- Easy Access Entry Door to Head, Lockable
- Electronics Compartment at Helm
- Forward Lounge with Insulated Cooler 5 uarts
- Power Outlet, 12V
- Recessed Key Switches
- Custom Oversi e Console with Stand-Up Head Compartment
- Sun Lounge Console Cooler
- Fusion Apollo WB670 Head Unit
- JL Audio Speaker Amp Package - Includes the Following
  - (4) . Cockpit Coaxial Speaker
  - (4) 6.5 Cockpit Coaxial Speaker
  - Hardtop Speaker Package
  - (2) 10" Marine Subwoofer
  - (1) 1000 Watt, MVi 5 Channel Amplifier
  - (1) 400 Watt, MVi 4 Channel Amplifier
  - (1) Digital AM/FM Antenna

RIGGING

- amaha Electronic Binnacle Control with Power Trim
- Engine Alarm System
- amaha Engine Cables Harness
- amaha Fuel/Water Sensor with Alarm
- Tilt Helm
- amaha Stainless Steel Propellers Matched to Engines
- Electronic Power Steering
- amaha Premium Multifunction Instrumentation to Include Tachometers, Voltmeter, Hour Meters, Fuel Gauges, Water Gauges, Fuel Monitoring System

LS Model Includes:

- 3 Piece, Enclosed Glass Windshield, fully integrated into the Console Structure
- Teak Helm Footrest w/ Battery Switch and Breaker Access
- Insulated Console Lounger Cooler w/ Removable Divider and Built-in Bucket Storage
- Above Helm Sunroof, Manual
- Teak Console Entry, Step and Floor
- Upholstered Helm Brow
- Console Interior Backlit Mirror
- Console Interior Backlit Ceiling Upholstered Pad
- JL Audio Hardtop Speaker Package (Additional 2 x 6.5" and 2 x 7.7")
- JL Audio Integrated MVi Amplifiers
- Under Gunnel Marine Mat Reel Protection Pads at all Rod Racks
- ROKK Helm Wireless Phone Charging Pad
- Icom M510 VHF Radio w/ Remote Mount Mic
- Grey Gelcoat Helm for reduced glare
- Console Interior Built-in Storage w/ Fire Extinguisher and effortless Electronics Service access
- Hardtop with Molded-in Handrails and water gutters
- 4 Helm Cup Holders



SPECIFICATIONS

LOA, HULL	33’9”
BEAM	10’5”
MAX HP RATING	1100 HP
BRIDGE CLEARANCE WITH T-TOP	9’2”
DEADRISE FWD / AFT	60° / 24°
DRY WEIGHT WITH ENGINES	9,880 LBS
OPERATING WEIGHT APPROX	14,784 LBS
DRAFT MOTORS UP / DOWN	24” / 36”
FUEL CAPACITY STANDARD	390 GALLONS
WATER CAPACITY	50 GALLONS
HOLDING TANK	15 GALLONS

FEATURES

A	ANCHOR LOCKER
B	STORAGE
C	PORT FORWARD SEAT STORAGE
D	STARBOARD FORWARD SEAT STORAGE
E	HEAD COMPARTMENT
F	PORT ROD LOCKER
G	STARBOARD ROD LOCKER
H	MEZZANINE SEAT WITH LIVEWELL
I	PORT FISH BOX
J	STARBOARD FISH BOX
K	BILGE ACCESS

NOTES

Drawings are not to scale and are intended to show layouts only.

JUPITER 340LS

PERFORMANCE DATA

TWIN YAMAHA F450 HP

TEST DATE: 08/27/20
ENGINE: TWIN YAMAHA F425'S
FUEL CAPACITY: 390 GALLONS
NUMBER OF PEOPLE: 2
AIR / WATER TEMP: 90ºF / 88ºF
ELEVATION: 0' ABOVE SEA LEVEL
WIND VELOCITY: ~ 5 MPH
TESTED WEIGHT INCLUDES: 110 GALLONS OF FUEL, 4 BATTERIES, 2 PEOPLE AND SAFETY & TEST GEAR.

RPM	MPH	GPH	MPG	RANGE
1000	6.1	3.8	1.61	523
1500	8.4	5.9	1.42	461
2000	10.7	10.4	1.03	334
2500	15.1	14.9	1.01	328
3000	22.4	18.5	1.21	393
3500	34.1	24.7	1.4	442
4000	42.1	31.5	1.3	419
4500	46.3	41.6	1.11	360
5000	52.2	58.0	0.90	292
5500	58.8	67.3	0.87	282
6000	63.3	72.4	0.87	282

TRIPLE YAMAHA F350 HP

TEST DATE: 05/17/24
ENGINE: TRIPLE YAMAHA F350'S
FUEL CAPACITY: 390 GALLONS
NUMBER OF PEOPLE: 5
AIR / WATER TEMP: 90ºF / 86ºF
ELEVATION: 0' ABOVE SEA LEVEL
WIND VELOCITY: 5-10 MPH
TESTED WEIGHT INCLUDES: 225 GALLONS OF FUEL, 50 GALLONS OF WATER, 4 BATTERIES, 3 PEOPLE AND SAFETY & TEST GEAR.

RPM	MPH	GPH	MPG	RANGE
1000	7	3.8	1.84	718
1500	9.3	6.8	1.37	534
2000	11.7	11.8	.99	386
2500	20.3	17.6	1.15	449
3000	30.8	22	1.40	546
3500	36.2	27.4	1.32	515
4000	42.2	37.9	1.11	433
4500	47.2	44.7	1.06	413
5000	52.9	56.8	.93	363
5500	58.6	75.9	.77	300
6000	64.5	94.3	.68	265