JUPITER

380LS

2027 MODEL YEAR

SPECIFICATIONS
STANDARD EQUIPMENT
PLAN VIEW
PEFORMANCE DATA

VERSION 1.0

EFFECTIVE 07-01-2026

JUPITER MARINE INTERNATIONAL, INC.
1103 12TH AVENUE EAST · PALMETTO, FL 34221 · 941-729-5000 · JUPITERMARINE.COM · SALES@JUPITERMARINE.COM

JUPITER 380*LS*

NMMA CERTIFIED using ABYC standards POWERED BY YAMAHA

STANDARD EQUIPMENT & FEATURES

CONSTRUCTION

- Closed Cell PVC Foam Coring
- Deck Mechanically Fastened and Fiberglass Bonded to Hull
- Fiberglass Uni-Grid Stringer System
- Ceramic Poured Transom
- Inner Liner Integrally Bonded to Hull
- No Wood-No Rot Laminated Design
- Posi-Stern™ Hull Pad Design
- Vinylester Resin Barrier to Prevent Osmotic Blistering
- Solid Fiberglass Bottom

COCKPIT

- Coaming Bolsters
- Anchor Locker, Top Loading
- Mezzanine Seating with Livewell
- Boarding Ladder & Grab Rail
- Fishboxes - 2 Each - 104 Gallons - with Macerator Drains
- Forward Hand Rails
- Freshwater Washdown
- Molded Fiberglass Gasketed Hatches
- Non-Skid Decks, with Self Bailing Cockpit
- Rod Holders, (6) Aft
- Rod Racks, 4 Pair
- Rod Storage Lockers, 2 Each - 7 Cubic Feet, Lockable
- Safety Equipment Storage Lockers
- Raw / Salt Water Washdown
- Storage Compartment Forward, 14 Cubic Feet
- Storage Compartments, 2 Each - 8 Cubic Feet
- Transom Door & Gate

ELECTRICAL

- All Wiring Tin Coated Copper
- Battery Charger, Multi-Bank
- Battery Parallel Switch
- Bonded Electrical System
- Circuit Protection Throughout
- Color Coded & Numbered Wiring System
- Courtesy Light in Console
- Hi-Water Bilge Alarm
- International Navigation Lights
- Marine Horn, Electric
- EmpirBus Digital Switching
- HD Marine Batteries, AGM
- Multi-Color Lighting in Storage Boxes
- Holding Tank Overboard Macerator Discharge

T-TOP PACKAGE

- Custom T-Top with Fiberglass Hardtop & Includes Electronics, Overhead, Molded Fiberglass
- Lumitec Mirage Spectrum Lighting in Hardtop

LS Model Includes:

- 3 Piece, Enclosed Glass Windshield, fully integrated into the Console Structure
- Teak Helm Footrest w/ Battery Switch and Breaker Access
- Insulated Console Lounger Cooler w/ Removable Divider and Built-in Bucket Storage
- Above Helm Sunroof, Manual
- Teak Console Entry, Step and Floor
- Upholstered Helm Brow
- Console Interior Backlit Mirror
- Console Interior Backlit Ceiling Upholstered Pad

MECHANICAL

- Freshwater Marine Head, Electric with Holding Tank
- All Fasteners, Hinges and Hardware are Stainless Steel
- Bilge Pumps, Automatic/Manual (2) 2000 GPH
- Bronze Through-Hull Fittings Below Waterline
- Deck Hardware, Flush Mounted, Stainless Steel
- Double Stainless Steel Hose Clamps Below Waterline
- Fuel Filters/Water Separator(s) 10 Micron
- Fuel Tanks, HD Marine Aluminum, Coal Tar Coated, EPA Compliant
- Heavy Duty Vinyl Rub Rail with SS Insert
- Seacocks on all Below Water Through-Hulls
- Water Tank with Gauge
- Livewell Pump, HD 1600 GPH
- Gemlux TruDesign Valves and Fittings
- Seakeeper RIDE, Vessel Attitude Control System, 750MM

CONSOLE

- Release Marine Teak Bolster Seats with Stainless Steel Lower Brace on Armrests
- Black Dash Pad
- White Powder Coat Package
- Jupiter Logo on Seating
- Marine Cup Holders
- Battery Storage Compartment
- Molded Glove Box with Dual USB Charging Port
- Compass, High Speed
- Lewmar Carbon Fiber Steering Wheel with Power Knob
- Easy Access Entry Door to Head, Lockable
- Electronics Compartment at Helm
- Forward Lounge with Insulated Cooler, 85 Quarts
- Power Outlet, 12V
- Recessed Key Switches
- Sun Lounge Console Cooler
- Custom Oversize Console with Stand-Up Head and Easy Access Door
- Fusion Apollo WB670 Head Unit
- JL Audio Speaker & Amp Package - Includes the Following:
    - (4) 8.8" Cockpit Coaxial Speaker
    - (4) 6.5" Cockpit Coaxial Speaker
    - (2) 10” Marine Subwoofer
    - (1) 8’ Digital AM/FM Antenna
    - (1) 1000 Watt, MVi 5 Channel Amplifier
    - (1) 400 Watt, MVi 4 Channel Amplifier
    - Hardtop Speaker Package

RIGGING

- Yamaha Electronic Binnacle Control with Power Trim
- Yamaha Engine Alarm System
- Yamaha Engine Cables & Harness
- Yamaha Fuel/Water Sensor with Alarm
- Tilt Helm
- Electronic Power Steering
- Yamaha Stainless Steel Propellers Matched to Engines
- Yamaha Premium Multifunction Instrumentation to Include: Tachometers, Voltmeter, Hour Meters, Fuel Gauges, Water Gauges, Fuel Monitoring System
- JL Audio Hardtop Speaker Package (Additional 2 x 6.5” and 2 x 7.7”)
- JL Audio Integrated MVi Amplifiers
- Under Gunnel Marine Mat Reel Protection Pads at all Rod Racks
- ROKK Helm Wireless Phone Charging Pad
- Icom M510 VHF Radio w/ Remote Mount Mic
- Grey Gelcoat Helm for reduced glare
- Console Interior Built-in Storage w/ Fire Extinguisher and effortless Electronics Service access
- Hardtop with Molded-in Handrails and water gutters
- 4 Helm Cup Holders



Drawings are not to scale and are intended to show layouts only.

SPECIFICATIONS

LOA, HULL	38’2”
BEAM	10’7”
MAX HP RATING	1,200 HP
BRIDGE CLEARANCE WITH STD T-TOP	9’2”
DEADRISE FWD/AFT	60° / 24°
DRY WEIGHT WITH ENGINES	11,480 LBS
OPERATING WEIGHT APPROX	15,844 LBS
DRAFT MOTORS UP / DOWN	24” / 36”
STANDARD FUEL CAPACITY	475 GALLONS
WATER CAPACITY	50 GALLONS
HOLDING TANK	15 GALLONS

FEATURES

12	ANCHOR LOCKER
11	STORAGE
10	STARBOARD FORWARD SEAT STORAGE
9	PORT FORWARD SEAT STORAGE
8	FUEL TANK COVER
7	HEAD COMPARTMENT
6	STARBOARD ROD LOCKER
5	PORT ROD LOCKER
4	LIVEWELL
3	STARBOARD FISH BOX
2	PORT FISH BOX
1	BILGE ACCESS

NOTES

JUPITER 380LS

PERFORMANCE DATA

TWIN YAMAHA F450 HP

TEST DATE: 08/21/20
ENGINE: TWIN YAMAHA F450
FUEL CAPACITY: 475 GALLONS
NUMBER OF PEOPLE: 3
AIR / WATER TEMP: 87°F / 87°F
ELEVATION: 0' ABOVE SEA LEVEL
WIND VELOCITY: 0-5 MPH
TESTED WEIGHT INCLUDES: 397 GALLONS OF FUEL, (3) BATTERIES, (3) PEOPLE AND SAFETY & TEST GEAR.

RPM	MPH	GPH	MPG	RANGE
1000	6.7	4.0	1.70	807
1500	8.8	5.7	1.56	741
2000	10.7	9.3	1.15	546
2500	13.0	14.3	0.91	432
3000	19.3	19.8	0.97	460
3500	27.4	24.5	1.12	532
4000	36.2	33.3	1.09	517
4500	42.6	40.3	1.06	503
5000	48.4	49.2	0.98	465
5500	53.4	65.8	0.81	384
6000	57.9	74.0	0.78	370

TRIPLE YAMAHA F350 HP

TEST DATE: 07/15/24
ENGINE: TRIPLE YAMAHA F350'S
FUEL CAPACITY: 475 GALLONS
NUMBER OF PEOPLE: 2
AIR / WATER TEMP: 90°F / 86°F
ELEVATION: 0' ABOVE SEA LEVEL
WIND VELOCITY: 5-10 MPH
TESTED WEIGHT INCLUDES 100 GALLONS OF FUEL, 50 GALLONS of WATER, (4) BATTERIES, HARD TOP, LEANING POST WITH LIVEWELL, (2) PEOPLE AND SAFETY & TEST GEAR.

RPM	MPH	GPH	MPG	RANGE
1000	6.2	3.8	1.63	774
1500	8.5	6.8	1.25	594
2000	10.3	11.7	.88	418
2500	17.5	17.6	.99	470
3000	28.8	22.2	1.30	618
3500	35.5	27.6	1.29	613
4000	41.6	35.7	1.17	556
4500	47.6	44.1	1.08	513
5000	52.8	57.4	0.92	437
5500	58.1	76.5	0.76	361
6000	64.6	93.2	0.69	328